



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/655,964	09/04/2003	Mike Cogdill	200207753-1	8913

22879 7590 12/01/2008  
HEWLETT PACKARD COMPANY  
P O BOX 272400, 3404 E. HARMONY ROAD  
INTELLECTUAL PROPERTY ADMINISTRATION  
FORT COLLINS, CO 80527-2400

EXAMINER
----------

TRAN, JANY

ART UNIT	PAPER NUMBER
----------	--------------

2819

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

12/01/2008

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM  
mkraft@hp.com  
ipa.mail@hp.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/655,964	<b>Applicant(s)</b> COGDILL ET AL.	
	<b>Examiner</b> JANY TRAN	<b>Art Unit</b> 2819	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 10 September 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Response to Amendment*

The Examiner acknowledges the amendments to claims 1, 6-8, 11, 14, 20-22.

### *Response to Arguments*

Applicant's arguments filed 9/10/2008 have been fully considered but they are not persuasive.


With respect to applicant's arguments on pages 10 (last paragraph) and 11 (first paragraph) that Johnson does not anticipate "a parallel termination impedance having one end coupled to said transmission line between said series dampening impedance and said branch point, wherein said parallel termination impedance is on the same side of any memory module as said driver", the Examiner respectfully disagrees. The circuit as shown below (Figure 3b) is **equivalent** to the circuit shown in Figure 3 of Johnson. The Examiner would also like to note that it is irrelevant how these schematics are drawn as long as the connections/nodes are the same, since it is merely a matter of drawing choice.

Therefore, the parallel termination impedance (326) is **between** the series dampening impedance (324) and the branch point (star node) and the parallel termination impedance (326 – where 326 is parallel in reference to  $V_{TT}$  and star node) is on the same side (below memory modules 302-308) as the driver (312).

Product and apparatus claims – when the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent. Where the claimed and prior art products are identical or

Art Unit: 2819

substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established.



In response to applicant's arguments (with respect to claims 6, 20 and 22) against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

With respect to applicant's arguments on page 13 (first paragraph) that "the combination of Johnson and Buuck fails to suggest the features of Applicant's Claim 1 as a whole", the Examiner respectfully disagrees. As shown above, Johnson teaches the termination impedance (326) is between the dampening impedance (324) and the branch point (star node). The Examiner also agrees with the statement in the second paragraph of Page 13, however would like to clarify that Johnson teaches these limitations and Buuck teaches the limitations of claim 6 (as well as claim 20).

With respect to applicant's arguments on page 14 (third paragraph) that "the combination of Johnson and Mizukami fails to suggest the features of Applicant's Claim 1 as a whole", the Examiner respectfully disagrees. As shown above, Johnson teaches the termination impedance (326) is between the dampening impedance (324) and the branch point (star node). The Examiner also agrees with the statement in the first paragraph of Page 15, however would like to clarify that Johnson teaches these limitations and Mizukami teaches the limitations of claim 22.

### ***Claim Objections***

Claims 1, 8 and 14 are objected to because of the following informalities: There is insufficient antecedent basis for the limitation "the same side" on line 6 of claim 1 (lines 6-7 of claim 8 and line 7 of claim 14). For purposes of examination, the Examiner is interpreting the limitations to read as "a same side". Appropriate correction is required.

Claims 14 is also objected to because of the following informalities: Replace "one the same side of" on line 7 to "on a same side of". Appropriate correction is required.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States

Art Unit: 2819

only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

**Claims 1-5, 7-19 and 21** are rejected under 35 U.S.C. 102(e) as being anticipated by Johnson et al. (US 6,715,014).

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention “by another,” or by an appropriate showing under 37 CFR 1.131.

Figure 3 of Johnson discloses a circuit for a memory module address bus comprising:

With respect to **claim 1**,

a transmission line (314) comprising a dampening impedance (324) between a driver (312) and a branch point (node between 318 and 320, hereinafter “star node”) of said transmission line (314); and

a parallel termination impedance (326 – where 326 is parallel in reference to  $V_{TT}$  and star node) having one end coupled to said transmission line (314) between (see Figure 3b as shown above) said dampening impedance (324) and said branch point (star node), wherein said parallel termination impedance (326) is on a same side of any memory module as said driver (where Figure 3b shows 326 and driving source below the memory modules);

said transmission line (314) having branches (316-322) from said branch point, wherein ones of said branches are coupled to at least one memory module interface (304).

With respect to **claim 2**,

Johnson teaches wherein said transmission line is uni-directional (where the direction is from 312 to star node).

With respect to **claim 3**,

Johnson teaches wherein said ones of said branches are coupled to two memory module interfaces (304, 306).

With respect to **claim 4**,

Johnson teaches wherein said ones of said branches are coupled to three memory module interfaces (302, 304 and 306).

With respect to **claim 5**,

Johnson teaches wherein said ones of said branches are coupled to four memory module interfaces (302, 304, 306 and 308).

With respect to **claim 7**,

Johnson teaches wherein said one end of said parallel termination impedance (end coupled to star node) is connected to said series dampening impedance (see Figure 3).

With respect to **claim 8**,

Figure 3 of Johnson discloses a circuit for reducing skew when addressing a memory module comprising:

a plurality of memory modules (302-308);  
an address line (316-322) coupling said memory modules (302-308);  
a transmission line (314) having a series dampening impedance (324) and a parallel termination impedance (326 – where 326 is parallel in reference to  $V_{TT}$  and star node) in a stub configuration, wherein said parallel termination impedance (326) is on a same side of any memory module as a driver (where Figure 3b shows 326 and driving source below the memory modules); and  
said transmission line (314) having a first end coupled to a driver (312) and a second end connected at a point (star node) on said address line to reduce skew when addressing a memory module.

With respect to **claim 9**,

Johnson teaches wherein said second end of said transmission line is connected at substantially the midpoint of said address line (see Figure 3).

With respect to **claim 10**,

Johnson teaches wherein said transmission line is uni-directional (where the direction is from 312 to star node).

With respect to **claim 11**,

Johnson teaches wherein said parallel termination impedance (326) is connected to said series dampening impedance (324, see Figure 3).

With respect to **claim 12**,



Johnson teaches wherein said plurality of memory modules is an odd number and wherein said second end of said transmission line is connected to said address line at the middle memory module (Column 2, lines 24-39 and Figure 3).

With respect to **claim 13**,

Johnson teaches wherein said plurality of memory modules is an even number and wherein said second end of said transmission line is connected to said address line at a point substantially midway between two memory modules closest to the mid-point of said address line (Column 2, lines 24-39 and Figure 3).

With respect to **claim 14**,

Figure 3 of Johnson discloses a system for addressing memory modules comprising:

- a bus controller (inside 312);
- a transmission line (314) comprising a series dampening impedance (324) between a driver (312) and a branch point (star node) of said transmission line; and
- a parallel termination impedance (326 – where 326 is parallel in reference to  $V_{TT}$  and star node) having a first end coupled to said transmission line (314) between said series dampening impedance (324) and said branch point (star node) and a second end coupled to a termination voltage terminal ( $V_{TT}$ ), wherein said parallel termination impedance (326) is on a same side of any memory module as a driver (where Figure 3b shows 326 and driving source below the memory modules);

said transmission line (314) having branches (316-322) from said branch point (star node), wherein ones of said branches are coupled to at least one memory module interface (304).

With respect to **claim 15**,

Johnson teaches wherein two branches (318, 320) of said branches from said branch point have substantially the same length (see Figure 3).

With respect to **claim 16**,

Johnson teaches wherein said transmission line is uni-directional (where the direction is from 312 to star node).

With respect to **claim 17**,

Johnson teaches wherein said ones of said branches (316) are coupled to two memory module interfaces (304 and 306).

With respect to **claim 18**,

Johnson teaches wherein said ones of said branches are coupled to three memory module interfaces (302, 304 and 306).

With respect to **claim 19**,

Johnson teaches wherein said ones of said branches are coupled to four memory module interfaces (302, 304, 306 and 308).

With respect to **claim 21**,

Johnson teaches wherein said first end of said parallel termination impedance (326) is connected to said series dampening impedance (324, at star node).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

**Claims 6 and 20** are rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson in view of Buuck et al. (US 5,583,449).

With respect to **claim 6**,

Figure 3 of Johnson discloses the circuit as claimed, but is silent to wherein the distance from said branch point to said one end of said parallel termination impedance is greater than the length of said branches.

Figure 2 of Buuck teaches a circuit for cancelling reflections on a transmission line that includes having the distance ( $L_1$ ) between a branch point (80) and one of the devices (20 or 30) to be less than the overall distance between the driver and the device (sum of  $L_1$  and  $L_2$ ) for reducing electromagnetic interference (Abstract).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the distances from a branch point to the end of the parallel termination impedance to be greater than the length of the branches as taught by Buuck to reduce electromagnetic interference (Abstract).

With respect to **claim 20**,

Figure 3 of Johnson discloses the circuit as claimed, but is silent to wherein the distance from said branch point to said first end of said parallel termination impedance is greater than the length of said branches.

Figure 2 of Buuck teaches a circuit for cancelling reflections on a transmission line that includes having the distance ( $L_1$ ) between a branch point (80) and one of the devices (20 or 30) to be less than the overall distance between the driver and the device (sum of  $L_1$  and  $L_2$ ) for reducing electromagnetic interference (Abstract).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have the distances from a branch point to the end of the parallel termination impedance to be greater than the length of the branches as taught by Buuck to reduce electromagnetic interference (Abstract).

**Claim 22** is rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson in view of Mizukami et al (US 5,111,080).

With respect to **claim 22**,

Figure 3 of Johnson discloses the circuit as claimed, but is silent to wherein said parallel impedance and said series impedance are mounted on opposite sides of a printed circuit board.

Figure 3 of Mizukami teaches a signal transmission circuit with impedance matching circuitry that includes a parallel impedance (R4) and a series impedance (R1) that are mounted on opposite sides (left and right sides) of a printed circuit board (Figure 3).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to mount resistors on opposite sides of the printed circuit board as taught by Mizukami because placement of resistors is a choice of design and there is no difference in terms of impedance matching or reduction of signal levels.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JANY TRAN whose telephone number is (571) 270-5074. The examiner can normally be reached on Monday - Friday, 9:00am - 5:30pm.

Art Unit: 2819

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rexford Barnie can be reached on (571) 272-7492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jany Tran/  
Examiner, Art Unit 2819

/James H. Cho/  
Primary Examiner, AU 2819